



Complete Summary

GUIDELINE TITLE

Identifying and treating eating disorders.

BIBLIOGRAPHIC SOURCE(S)

Identifying and treating eating disorders. Pediatrics 2003 Jan;111(1):204-11. [78 references] [PubMed](#)

GUIDELINE STATUS

This is the current release of the guideline.

American Academy of Pediatrics (AAP) Policies are reviewed every 3 years by the authoring body, at which time a recommendation is made that the policy be retired, revised, or reaffirmed without change. Until the Board of Directors approves a revision or reaffirmation, or retires a statement, the current policy remains in effect.

** REGULATORY ALERT **

FDA WARNING/REGULATORY ALERT

Note from the National Guideline Clearinghouse: This guideline references a drug(s) for which important revised regulatory information has been released.

On October 15, 2004, the U.S. Food and Drug Administration (FDA) issued a Public Health Advisory, asking manufacturers of all antidepressant drugs to revise the labeling for their products to include a boxed warning and expanded warning statements that alert health care providers to an increased risk of suicidality (suicidal thinking and behavior) in children and adolescents being treated with these agents, and additional information about the results of pediatric studies. FDA also informed these manufacturers that it has determined that a Patient Medication Guide (MedGuide), which will be given to patients receiving the drugs to advise them of the risk and precautions that can be taken, is appropriate for these drug products. See the [FDA Web site](#) for more information.

COMPLETE SUMMARY CONTENT

** REGULATORY ALERT **

SCOPE

METHODOLOGY - including Rating Scheme and Cost Analysis

RECOMMENDATIONS

EVIDENCE SUPPORTING THE RECOMMENDATIONS

BENEFITS/HARMS OF IMPLEMENTING THE GUIDELINE RECOMMENDATIONS

QUALIFYING STATEMENTS
IMPLEMENTATION OF THE GUIDELINE
INSTITUTE OF MEDICINE (IOM) NATIONAL HEALTHCARE QUALITY REPORT
CATEGORIES
IDENTIFYING INFORMATION AND AVAILABILITY
DISCLAIMER

SCOPE

DISEASE/CONDITION(S)

Eating disorders, specifically, according to the Diagnostic and Statistical Manual of Mental Disorders, 4th ed (DSM-IV), anorexia nervosa, bulimia nervosa, and eating disorders not otherwise specified.

GUIDELINE CATEGORY

Evaluation
Management
Prevention
Screening
Treatment

CLINICAL SPECIALTY

Family Practice
Nutrition
Pediatrics
Psychiatry
Psychology

INTENDED USERS

Health Care Providers
Physicians
Psychologists/Non-physician Behavioral Health Clinicians

GUIDELINE OBJECTIVE(S)

- To assist pediatricians with early detection and appropriate management of eating disorders
- To prevent the physical and psychological consequences of malnutrition that allow for progression to a later stage of an eating disorder

TARGET POPULATION

Children and adolescents

INTERVENTIONS AND PRACTICES CONSIDERED

Screening, Assessment and Diagnosis

1. Initial evaluations
 - Patient history, including screening questions about eating patterns and satisfaction with body appearance
 - Medical status
 - Nutritional status
 - Psychosocial status
2. Physical exam
 - Weight and height measurements plotted on pediatric growth charts
 - Body mass index (BMI)
 - Establishment of the diagnosis along with a determination of eating disorder severity
3. Laboratory tests
 - Initial laboratory tests (complete blood cell count, electrolyte measurement, liver function tests, urinalysis, and a thyroid-stimulating hormone test)
 - Additional tests (urine pregnancy, luteinizing and follicle-stimulating hormone, prolactin, and estradiol tests) in patients who are amenorrheic
 - Other tests, including an erythrocyte sedimentation rate and radiographic studies (such as computed tomography or magnetic resonance imaging of the brain or upper or lower gastrointestinal system studies), if there are uncertainties about the diagnosis
 - An electrocardiogram in patients with bradycardia or electrolyte abnormalities
 - Bone densitometry in those amenorrheic for more than 6 to 12 months

Treatment/Management

1. Nutritional counseling
2. Establishment of treatment goal weights, based on age, height, stage of puberty, premorbid weight, and previous growth charts
3. Reintroduction or improvement of meals and snacks (in those with anorexia nervosa) in a stepwise manner
4. Psychosocial counseling, including individual, group, and/or family therapies
5. Management of medical sequelae
6. Reevaluation of goal weights at 3- to 6-month intervals for growing children or adolescents
7. Behavioral interventions to encourage necessary caloric intake and weight gain goals
8. Psychotropic medications, e.g., antidepressants, if indicated
9. Referral to subspecialties, e.g., nutrition, psychiatry, psychology, gastroenterology, cardiology, endocrinology, neurology, dentistry
10. Inpatient, multidisciplinary hospitalization, day program treatment, or intensive outpatient program treatment for medical stabilization and nutritional rehabilitation, including enteral (nasogastric tube feedings) or parenteral (intravenous) nutrition
11. Eating disorders prevention, education, and screening at family, school, and community-wide levels

MAJOR OUTCOMES CONSIDERED

- Prevalence and incidence of eating disorders in children and adolescents
- Medical complications of eating disorders
- Relapse rates
- Malnutrition sequela

METHODOLOGY

METHODS USED TO COLLECT/SELECT EVIDENCE

Searches of Electronic Databases

DESCRIPTION OF METHODS USED TO COLLECT/SELECT THE EVIDENCE

Not stated

NUMBER OF SOURCE DOCUMENTS

Not stated

METHODS USED TO ASSESS THE QUALITY AND STRENGTH OF THE EVIDENCE

Not stated

RATING SCHEME FOR THE STRENGTH OF THE EVIDENCE

Not applicable

METHODS USED TO ANALYZE THE EVIDENCE

Review

DESCRIPTION OF THE METHODS USED TO ANALYZE THE EVIDENCE

Not stated

METHODS USED TO FORMULATE THE RECOMMENDATIONS

Not stated

RATING SCHEME FOR THE STRENGTH OF THE RECOMMENDATIONS

Not applicable

COST ANALYSIS

A formal cost analysis was not performed and published cost analyses were not reviewed.

METHOD OF GUIDELINE VALIDATION

Peer Review

DESCRIPTION OF METHOD OF GUIDELINE VALIDATION

Not stated

RECOMMENDATIONS

MAJOR RECOMMENDATIONS

1. Pediatricians need to be knowledgeable about the early signs and symptoms of disordered eating and other related behaviors.
2. Pediatricians should be aware of the careful balance that needs to be in place to decrease the growing prevalence of eating disorders in children and adolescents. When counseling children on risk of obesity and healthy eating, care needs to be taken not to foster overaggressive dieting and to help children and adolescents build self-esteem while still addressing weight concerns.
3. Pediatricians should be familiar with the screening and counseling guidelines for disordered eating and other related behaviors.
4. Pediatricians should know when and how to monitor and/or refer patients with eating disorders to best address their medical and nutritional needs, serving as an integral part of the multidisciplinary team.
5. Pediatricians should be encouraged to calculate and plot weight, height, and body mass index (BMI) using age- and gender-appropriate graphs at routine annual pediatric visits.
6. Pediatricians can play a role in primary prevention through office visits and community- or school-based interventions with a focus on screening, education, and advocacy.
7. Pediatricians can work locally, nationally, and internationally to help change cultural norms conducive to eating disorders and proactively to change media messages.
8. Pediatricians need to be aware of the resources in their communities so they can coordinate care of various treating professionals, helping to create a seamless system between inpatient and outpatient management in their communities.
9. Pediatricians should help advocate for parity of mental health benefits to ensure continuity of care for the patients with eating disorders.
10. Pediatricians need to advocate for legislation and regulations that secure appropriate coverage for medical, nutritional, and mental health treatment in settings appropriate to the severity of the illness (inpatient, day hospital, intensive outpatient, and outpatient).
11. Pediatricians are encouraged to participate in the development of objective criteria for the optimal treatment of eating disorders, including the use of specific treatment modalities and the transition from one level of care to another.

CLINICAL ALGORITHM(S)

None provided

EVIDENCE SUPPORTING THE RECOMMENDATIONS

TYPE OF EVIDENCE SUPPORTING THE RECOMMENDATIONS

The type of supporting evidence is not specifically stated for each recommendation.

BENEFITS/HARMS OF IMPLEMENTING THE GUIDELINE RECOMMENDATIONS

POTENTIAL BENEFITS

- Early detection, initial evaluation, and ongoing management can play a significant role in preventing eating disorders from progressing to a more severe or chronic state.
- Rapid and aggressive medical stabilization and nutritional rehabilitation of patients with eating disorders will optimize short- and long-term outcomes.

POTENTIAL HARMS

Refeeding Syndrome

Of particular concern is the refeeding syndrome that can occur in severely malnourished patients who receive nutritional replenishment too rapidly. The refeeding syndrome consists of cardiovascular, neurologic, and hematologic complications that occur because of shifts in phosphate from extracellular to intracellular spaces in individuals who have total body phosphorus depletion as a result of malnutrition. Recent studies have shown that this syndrome can result from use of oral, parenteral, or enteral nutrition. Slow refeeding, with the possible addition of phosphorus supplementation, is required to prevent development of the refeeding syndrome in severely malnourished children and adolescents.

Single-episode Educational Programs

Single-episode school programs aimed at making changes in the cultural approaches to weight and dieting issues (e.g., 1 visit to a classroom) are clearly not effective and may do more harm than good. Additional curricula are being developed and additional evaluations are taking place in this field.

QUALIFYING STATEMENTS

QUALIFYING STATEMENTS

The recommendations in this statement do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

It should be noted that most medical test results will be normal in most patients with eating disorders, and normal laboratory test results do not exclude serious illness or medical instability in these patients.

IMPLEMENTATION OF THE GUIDELINE

DESCRIPTION OF IMPLEMENTATION STRATEGY

An implementation strategy was not provided.

INSTITUTE OF MEDICINE (IOM) NATIONAL HEALTHCARE QUALITY REPORT CATEGORIES

IOM CARE NEED

Getting Better
Living with Illness
Staying Healthy

IOM DOMAIN

Effectiveness
Patient-centeredness

IDENTIFYING INFORMATION AND AVAILABILITY

BIBLIOGRAPHIC SOURCE(S)

Identifying and treating eating disorders. Pediatrics 2003 Jan;111(1):204-11. [78 references] [PubMed](#)

ADAPTATION

Not applicable: The guideline was not adapted from another source.

DATE RELEASED

2003 Jan

GUIDELINE DEVELOPER(S)

American Academy of Pediatrics - Medical Specialty Society

SOURCE(S) OF FUNDING

American Academy of Pediatrics

GUIDELINE COMMITTEE

Committee on Adolescence

COMPOSITION OF GROUP THAT AUTHORED THE GUIDELINE

Committee Members, 2002-2003: David W. Kaplan, MD, MPH, Chairperson; Margaret Blythe, MD; Angela Diaz, MD; Ronald A. Feinstein, MD; *Martin M. Fisher, MD; Jonathan D. Klein, MD, MPH; W. Samuel Yancy, MD

Consultant: *Ellen S. Rome, MD, MPH

Liaisons: S. Paige Hertweck, MD; Miriam Kaufman, RN, MD; Glen Pearson, MD

Staff: Tammy Piazza Hurley

*Lead authors

FINANCIAL DISCLOSURES/CONFLICTS OF INTEREST

Not stated

GUIDELINE STATUS

This is the current release of the guideline.

American Academy of Pediatrics (AAP) Policies are reviewed every 3 years by the authoring body, at which time a recommendation is made that the policy be retired, revised, or reaffirmed without change. Until the Board of Directors approves a revision or reaffirmation, or retires a statement, the current policy remains in effect.

GUIDELINE AVAILABILITY

Electronic copies: Available from the [American Academy of Pediatrics \(AAP\) Policy Web site](#).

Print copies: Available from American Academy of Pediatrics, 141 Northwest Point Blvd., P.O. Box 927, Elk Grove Village, IL 60009-0927.

AVAILABILITY OF COMPANION DOCUMENTS

None available

PATIENT RESOURCES

None available

NGC STATUS

This NGC summary was completed by ECRI on May 15, 2003. The information was verified by the guideline developer on June 9, 2003. This summary was updated

by ECRI on August 15, 2005, following the U.S. Food and Drug Administration advisory on antidepressant medications.

COPYRIGHT STATEMENT

This NGC summary is based on the original guideline, which is subject to the guideline developer's copyright restrictions. Please contact the Permissions Editor, American Academy of Pediatrics (AAP), 141 Northwest Point Blvd, Elk Grove Village, IL 60007.

DISCLAIMER

NGC DISCLAIMER

The National Guideline Clearinghouse™ (NGC) does not develop, produce, approve, or endorse the guidelines represented on this site.

All guidelines summarized by NGC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public or private organizations, other government agencies, health care organizations or plans, and similar entities.

Guidelines represented on the NGC Web site are submitted by guideline developers, and are screened solely to determine that they meet the NGC Inclusion Criteria which may be found at <http://www.guideline.gov/about/inclusion.aspx>.

NGC, AHRQ, and its contractor ECRI make no warranties concerning the content or clinical efficacy or effectiveness of the clinical practice guidelines and related materials represented on this site. Moreover, the views and opinions of developers or authors of guidelines represented on this site do not necessarily state or reflect those of NGC, AHRQ, or its contractor ECRI, and inclusion or hosting of guidelines in NGC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding guideline content are directed to contact the guideline developer.

© 1998-2006 National Guideline Clearinghouse

Date Modified: 9/25/2006

